UTM®

System for Collection, Transport, and Preservation of Viruses



Copan Universal Transport MediumTM UTM[®] is intended for the stabilization and transport of unprocessed upper respiratory specimens containing respiratory virus nucleic acids. It is designed for use with compatible molecular assays..





FL00Swabs®

Expand testing capabilities with UTM® and FLOQSwabs®. The system enables rapid sample uptake and elution of more than 90% of the collected sample.



Versatile and Automation Ready

UTM® is compatible with molecular assays for detecting respiratory virus nucleic acids. UTM® can be processed manually or with automated laboratory platforms such as Copan UniVerse®.



Customizable Format

Choose from bulk media tubes or kits paired with FLOQSwabs[®].



Self-Standing Skirted Conical Tubes

Freestanding shatterproof polypropylene conical tubes ensure ease of use for clinicians, laboratory staff, and automated platforms.

Learn More

Performance

Copan Universal Transport Medium[™] System is CE-IVD and 510(k) cleared, and is compliant with CLSI M40-A2 standards. UTM[®] preserves the viability of all target organisms tested for 48 hours at both room and refrigerated temperatures. The UTM[®] Universal Transport Medium[™] system's unique formulation includes antibiotics and antimycotics to prevent overgrowth of bacterial and fungal flora without affecting viruses, chlamydia, mycoplasma, or ureaplasma viability.

UTM® Collection Quick Guide



COLLECT

Collect sample with swab. Only the swab tip should touch collection site. Do not touch swab below the breakpoint.



SNAP

Remove cap and insert swab into tube. Holding the tube away from face, hold the end of swab shaft and bend to break at the breakpoint.

Screw cap on tightly to prevent leaks.



SEND

Identify tube with patient information and send to laboratory.

Specimen collection should be performed by health care personnel who have completed training and demonstrated competency. Always read the manufacturer's package insert for specific instruction regarding specimen collection and transport for the type of test kit being used.



Room temperature stable



48-hour nucleic acid stability



Used with viral molecular assays




Contains antibiotics to inhibit bacterial and fungal growth

Ordering Information

Choose between different tube sizes, in bulk packs or in combination with FLOQSwabs®.

Cat. No.	Product Description	Packaging
	UTM® TUBES IN BULK	
3C047N	16x100mm Tube filled with 3 mL UTM [®] Universal Transport Medium™	50/Pack; 6 Packs/Case
3C075N*	12x80mm tube filled with 3 mL UTM® Universal Transport Medium™	50/Pack; 6 Packs/Case
	KITS OF UTM® WITH FLOQSWABS®	
3C057N	16x100mm tube filled with 3mL UTM® Universal Transport Medium™ + 1 Flexible Minitip Flocked Swab with 100mm Breakpoint	50/Pack; 6 Packs/Case
3C064N	16x100mm tube filled with 3mL UTM® Universal Transport Medium™ + 1 Regular Size Flocked Swab with 80mm Breakpoint	50/Pack; 6 Packs/Case
3C071N*	12x80 mm tube filled with 3mL UTM [®] Universal Transport Medium™ + 1 Minitip Size Flocked Swab with 80mm Breakpoint	100/Box
3C088N01*	12x80 mm tube filled with 3mL UTM [®] Universal Transport Medium™ + 1 Regular Size Flocked Swab with 80 mm Breakpointp	50/Pack; 6 Packs/Case
3C085N01	16x100 mm tube filled with 3mL UTM® Universal Transport Medium™ + 1 Minitip Size Flocked Swab with 80 mm Breakpoint	50/Pack; 6 Packs/Case
de la companya	William Size Flocked Swab with 60 min Breakpoint	OT deks/e





These products may not be available in all Countries. Please refer to www.Copanusa.com for the most recent version of this document. Always consult product technical documentation for complete information. The use of this product in association with diagnostic kits or instrumentation should be validated by the end user. All trademarks, logos and brand names are the property of their respective owners. ©2025 Copan Diagnostics Inc. All rights reserved. Code: UTM Brochure_04_2025

© CopanUSA.com ■ 800.216.4016 🚿 @CopanUSA 🔤 Communications@Copanusa.net 🕇 /Copan.USA

^{*}round bottom tube